


| | | |
|--|--|---|
| Search Notes  | Application/Control No. 10767269 | Applicant(s)/Patent Under Reexamination KAPPELER, KURT-ROBERT |
| | Examiner Aughenbaugh , Walter B | Art Unit 1772 |

| | | | |
|-----------------|-----------------|-------------|-----------------|
| SEARCHED | | | |
| Class | Subclass | Date | Examiner |
| prior updated | | 4/25/7 | WA |

| | | |
|--|-------------|-----------------|
| SEARCH NOTES | | |
| Search Notes | Date | Examiner |
| email to Terrel Morris (Jennifer McNeil suggested I discuss how to handle printed matter limitations with Terrel Morris), Terrel Morris responded to my email same day | 4/25/7 | WA |
| 5,045,071 (cited in email [above]) does not explicitly teach that the markings are "adapted to be read making use of X rays" as claimed in claim 1 of this application (so could not make 102 rejection using this patent). The patent teaches that the line 36 can be read using X-rays, but is silent as to whether or not the markings can be read using X-rays. Line 36 is not a marking (and there is only one line 36) | 4/26/7 | WA |

| | | | |
|----------------------------|-----------------|-------------|-----------------|
| INTERFERENCE SEARCH | | | |
| Class | Subclass | Date | Examiner |
| | | | |